



## PADMASTER

An AMATEX woven thermoglass heavier weight plain fabric with special vertex treatment to a tan color. Applications include hot side insulation fabric, flange and valve covers, weld curtains stress relief blankets and drop cloths. Resistant to most chemicals, offers good heat and flame protection to 1500°F (815°C).

## About AMATEX Corporation

Amatex manufactures industrial heat resistant textiles featuring Thermoglass™ fiberglass products, silica fabrics, and proprietary treated and coated products. These items include broad woven roll goods and narrow products in the form of woven and knitted tapes, sleeving, rope, and gasketing. With fiberglass and silica as the base textile, Amatex offers top and immersion coatings of Silicone, Teflon, Vermiculite, Neoprene, and Acrylic. Heat treating, dyeing, and coloration of the coatings are also available.

### **Amatex fabrics are commonly used in the following applications:**

- Welding Cloth
- Foundry Cloth
- Insulation Cloth
- Heat Shield
- Gasketing
- Marine Insulation
- Industrial Insulation
- Pad Cloth
- Fire Barriers
- Fire Curtains
- Industrial Belting
- Filtration
- Expansion Joints
- Protective Clothing

**Over 100 Years**

*Proud American Manufacturers of Industrial Textiles*



## Padmaster Data Sheet

<b>Padmaster 34</b>	
<b>Base Fabric</b>	Fiberglass
<b>Color/Appearance</b>	Tan
<b>Available Widths, standard</b>	40", 60" (1.0, 1.5m)
<b>Roll Length, yards</b>	50 (45.7m)
<b>Weave Style</b>	Plain
<b>Fabric Weight, oz./sq yd, average</b>	34 (1155 gm/sq.m)
<b>Fabric Thickness, inches</b>	0.043 (1.09mm)
<b>Warp Strength, lbs/in.</b>	300.0 (136 Kg/2.54cm)
<b>Fill Strength, lbs/in.</b>	300.0 (136 Kg/2.54cm)
<b>Abrasion Resistance</b>	Good
<b>Coating Specifications</b>	Proprietary
<b>Chemical Resistance</b>	Excellent except Hydrofluoric and hot Phosphoric acid and wet Hydrogen Chloride
<b>Solvent Resistance</b>	Excellent
<b>Sunlight &amp; Age Resistance</b>	Excellent



1032 Stanbridge Street,  
Box 228, Norristown, PA 19404-0228 U.S.A.  
Tel: 610-277-6100 • 800-441-9680 • Fax: 610-277-6106  
Email: [sales@amatex.com](mailto:sales@amatex.com) • [www.amatex.com](http://www.amatex.com)